PACE COPY

ON SUBOPTIMIZATION: AN EXAMPLE

By J.M. Danskin

CNA Research Contribution No. 22

This research contribution does not necessaril represent the views of CNA or the U.S.Navv. It may be modified or withdrawn at any time

Distribution of this document is unlimited.

CONTRACT NONE 3732(00)



Research Contribution

Center for Naval Analyses
THE FRANKLIN INSTITUTE
WASHINGTON 25, D.C.

Reproduced by the CLEARINGHOUSE for Federal Scientific & Technical Information Springield vs. 22151

CENTER FOR NAVAL ANALYSES —

OF THE

UNIVERSITY OF ROCHESTER

40° W - 1 Boulevard Ar haton Virginia 22209 Area code 703 JAckson 4-9400

(CNA)131-68

1 7 MAY 1968

From: Vice President for Administration, CNA

To: Distribution List

Subj: Center for Naval Analyses Research Contribution No. 22;

forwarding of

Encl: (1) CNA RC No. 22, "On Suboptimization: An Example"

1. Enclosure (1) is forwarded as a matter of possible interest.

- 2. In certain allocation problems concerning groups of systems, it is possible to allocate by distributing within each system and then combining the results. This paper shows that while this method is correct for pure maximum problems and for cases in which the overall problem is a game, it is not true for Max-Min problems.
- 3. Research Contributions represent the opinions of the authors and not necessarily those of the Center for Naval Analyses or the U. S. Navy. They are not reviewed in detail. They are distributed in this form to stimulate thought and facilitate research in given problem areas.
- 4. The enclosure has been approved for public release.
- 5. Registered users of the Defense Documentation Center services should request additional copies from that agency.

CARL B. AMTHOR

DISTRIBUTION:

ADMIN, DDC (20)

USNA ANNA (2)

SUPT NAVPGSCOL (2)

PRES NAVWARCOL (2)

IDA

RAND

RAC

CNA RESEARCH CONTRIBUTION NO. 22

Center for Naval Analyses

ON SUBOPTIMIZATION: AN EXAMPLE

By J.M. Danskin

17 June 1966

Work conducted under contract NONR 3732 (00)

DDC AVAILABILITY NOTICE

Qualified Requestors may obtain this report from DDC. It has been approved for Public Release.

Distribution of this document is unlimited.

ABSTRACT

In certain allocation problems concerning groups of systems, it is possible to allocate by allocating within each system and then combining the results. This paper shows that while this method is correct for pure maximum problems and for cases in which the overall problem is a game, it is not true for Max-Min problems.

(REVERSE BLANK)

Suppose

$$H(\mathbf{x},\xi) = F(\mathbf{x}) + G(\xi), \tag{1}$$

where x and ξ are vectors satisfying $\Sigma x_i + \Sigma \xi_j = 1$, $x_i \geq 0$, $\xi_j \geq 0$. Suppose the pair x^0, ξ^0 maximizes (1). Let $\sum x_i^0 = \alpha$. It is a trivial fact that then x_i^0 maximizes F(x) subject to $\Sigma x_i = \alpha$, $x_i \geq 0$. It follows from this in particular that the solution for (1) can be found by solving the problem for F(x) for $\Sigma x_i = \alpha$ and the problem for $G(\xi)$ for $\Sigma \xi_j = 1 - \alpha$, and then turning through all values of α . This process is sometimes called "suboptimization". The idea is that if one solves the problem for the whole, one gets the solution for the parts, and vice-versa.

This "suboptimization principle" also holds when the maximum problem for $H(\mathbf{x},\xi)$ is replaced by a game problem

$$H(x,\xi,y,\eta) = F(x,y) + G(\xi,\eta), \qquad (2)$$

solutions (x^0, ξ^0) and (y^0, ξ^0) for the two players respectively and suppose that $\sum x_i^0 = \alpha$, $\sum y_i^0 = \beta$. Let the value of the game defined by H be v, and suppose that $G(\xi^0, \eta^0) = \gamma$. Then, for any x satisfying $\sum x_i = \alpha$, $x_i \geq 0$,

$$F(x,y^0) = H(x,\xi^0,y^0,\eta^0) - G(\xi^0,\eta^0) \le v - \gamma$$
,

and for any y satisfying $\Sigma y_i = \beta$, $y_i \ge 0$,

$$F(x^0, y) = H(x^0, \xi^0, y, \eta^0) - G(\xi^0, \eta^0) \ge v - \gamma$$
.

Thus the components x^0 and y^0 are optimal strategy solutions for F; and similarly ξ^0 and η^0 for G.

It follows that games can be solved piece-by-piece. One picks pairs α,β and solves the games separately. One then runs through all pairs with $0 \le \alpha, \beta \le 1$; this will surely lead to a solution of the overall game.

The object of this paper is to show that this suboptimization principle does not always hold for Max-Min problems which are not games.

Suppose that

$$F(x,y) = x_1 e^{-y_1} + .9x_2 e^{-y_2/x_2}$$

and

$$G(\xi,\eta) = \xi e^{-\eta/\xi} .$$

Here $x_1 + x_2 + \xi = 1$, $y_1 + y_2 + \eta = 1$, and $x_i, \xi, y_i, \eta \ge 0$. If we solve the problem $\max_{x, \xi} \min_{y, \eta} H(x, \xi, y, \eta)$ for

$$H(x,\xi,y,n) = x_1 e^{-y_1} + .9x_2 e^{-y_2/x_2} + \xi e^{-n/\xi}$$

subject to the above side conditions, we get (for the methods see Chapter V of [1])

$$x_1 = .465$$
 $x_2 = 0$ $\xi = .535$

$$y_1 = .615$$
 $y_2 = 0$ $n = .385$.

Now consider the problem

The solution to this problem turns out to have both x_2 and y_2 positive. In fact, it is

$$x_1 = .434 \quad x_2 = .031$$

$$y_1 = .575 \quad y_2 = .040$$
.

The return to x at this point for the game (3) is .248. At $x_1 = .465$ the value is .226. The reader will easily verify that the y-solution is correct against $x_1 = .434$, $x_2 = .031$ by checking the derivatives with respect to y_1 and y_2 , which are both approximately -.248. These calculations are carried out to slide rule accuracy.

It follows that for the above problem one would never have arrived at the solution to the overall problem by grouping the first and the second system together, optimizing, and then bringing in the third. The three variables must be considered simultaneously.

The meaning for operations research or economic analysis is clear; one cannot, in the presence of conflict, be assured of arriving at a solution for the whole by considering the parts one at a time.

^[1] Janskin, J. M., The Theory of Max-Min, Springer-Verlag,
Berlin - Heidelberg - New York, 1966.

Security Classification					
DOCUMEN (Beautity classification of title, body of obstract and	T CONTROL DATA - R		On amount mount to altreathed		
1 ORIGINATING ACTIVITY (Corporate methor)			AT SECURITY CLASSIFICATION		
Center for Naval Analyses of the Franklin Institute		None			
		20 9004	•		
		None	<u> </u>		
3 REPORT TITLE					
On Suboptimization: An Example					
4. DESCRIPTIVE NOTES (Type of report and inclusive date	He)				
Final - Research Contribution					
8 AUTHOR(3) (Last name. first name, initial)					
Danskin, J.M.					
6 REPORT DATE	TO TOTAL NO OF	04452	75 NO OF REPS		
17 June 1966	5		'- HO OF REFS		
SA CONTRACT OF GRANT NO.	Se ORIGINATOR'S	-	inces.		
NONR 3732 (00)		CNA Research Contribution No. 22			
à PROJECT NO	O.V. Resea	Ten cont	i ibucion 140, 22		
•	SHO MER REPORT	HO(E) (Any	other members that may be assigned		
			•		
IS AVAILABILITY/LIMITATION HOTICES					
Qualified Requestors may obtain this	s report from DDC	. It has	been approved for		
Public Release.	•				
II SUPPLEMENTARY NOTES					
	Office of Naval Research				
None	Department	of the N	ar v		
	Washington				
IS AMTRACT					
In certain allocation problems of	concerning groups	of system	ns, it is possible to		
allocate by allocating within each sy	stem and then com	bining th	e results. This paper		
shows that while this method is corr	rect for pure maxi	mum pro	blems and for cases in		
which the overall problem is a game	, it is not true for	Max-Mi	n problems.		

Security Classification

14	LIMIC A		LINK 0		LINK C	
KEY WORDS		₩ ¥	ROLE	# T	ROLE	WY
suboptimization principle allocation Max-Min problems	ROLE	•	ROLE	w	ROLE	WY

INSTRUCTIONS

- ORIGINATING A. TIVITY: Enter the name and address
 of the contractor, subcontractor, gruntee, Department of Defense activity or other organization (corporate author) issuing
 the report.
- 2a. REPORT SECURITY CLASSITICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.
- 25. GROUP: Automatic downgrading is specified in DoD Directive 5 800, 10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as author-
- 3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.
- 4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.
- 5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter tast name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.
- REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.
- 7a. TOTAL NUMBER OF PAGES. The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- 76 NUMBER OF REFERENCES. Enter the total number of references cited in the report.
- 8a CONTRACT OR GRANT NUMBER: It appropriate, enter the applicable number of the contract in grant under which the report was written.
- 85, &, & 8d PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.
- 9a. ORIGINATOR'S REPORT NUMBER(S). Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unuse to this report.
- 96. OTHER REPORT NUMBER(S). It the report has been usuageed any other report numbers feither to the originator or by the sponsor), also enter this number(s).
- its. AVAILABILITY LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through

If the report has been furnished to the Office of Technical Services. Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

- 11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.
- 12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.
- 13. ABSTRACT: Enter an abstract giving a brief and factual sunmary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical reiport. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U)

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the raport. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The ansignment of links, rales, and weights is optional

DD 584, 1473 (BACK)

None

Security Classification